

mountainside

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Nursing Home Name	Street
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315239	CHILDRENS SPECIALIZED HOSPITAL MOUNTAINSIDE	150 NEW PROVIDENCE ROAD
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST

mountainside

Based on Nursing Home Compare - Survey Deficiency

City	State	Zip Code	Phone	Survey Date	Date of Correction
MOUNTAINSIDE	NJ	07092	(908) 233-3720	03/18/2008	05/27/2008
MOUNTAINSIDE	NJ	07092	(908) 233-3720	03/18/2008	05/27/2008
MOUNTAINSIDE	NJ	07092	(908) 233-3720	04/14/2009	04/23/2009
MOUNTAINSIDE	NJ	07092	(908) 233-3720	04/14/2009	04/23/2009
MOUNTAINSIDE	NJ	07092	(908) 233-3720	04/14/2010	04/19/2010
MOUNTAINSIDE	NJ	07092	(908) 233-3720	04/14/2010	04/19/2010
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008

mountainside

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
Health	Environmental Deficiencies
Fire Safety	Medical Gases and Anesthetizing Areas Deficiencies
Health	Environmental Deficiencies
Fire Safety	Electrical Deficiencies
Health	Environmental Deficiencies
Fire Safety	Smoke Compartmentation and Control Deficiencies
Health	Resident Rights Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Isolated	Minimal harm or potential for actual harm
proper fire barriers, ventilation and signs for the transport of oxygen.	Isolated	Minimal harm or potential for actual harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Pattern	Minimal harm or potential for actual harm
properly installed electrical wiring and equipment.	Pattern	Minimal harm or potential for actual harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Isolated	Minimal harm or potential for actual harm
smoke barrier doors that can resist smoke for at least 20 minutes.	Isolated	Minimal harm or potential for actual harm
Let the resident refuse treatment or refuse to take part in an experiment.	Isolated	Minimal harm or potential for actual harm

mountainside

Based on Nursing Home Compare - Survey Deficiency

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST

mountainside

Based on Nursing Home Compare - Survey Deficiency

MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	09/23/2008	11/10/2008
MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010

mountainside

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Rights Deficiencies

Health

Environmental Deficiencies

Health

Resident Assessment Deficiencies

Health

Environmental Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Smoking Regulations Deficiencies

Health

Resident Assessment Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

Provide care in a way that keeps or builds each resident's dignity and self respect.	Isolated	Minimal harm or potential for actual harm
Keep safe, clean and homelike surroundings.	Isolated	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Isolated	Actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Actual harm
Make sure that each resident's nutritional needs were met.	Isolated	Actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Isolated	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and	Isolated	Minimal harm or potential for actual harm

mountainside

Based on Nursing Home Compare - Survey Deficiency

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
--------	-------------------------	--------------------

mountainside

Based on Nursing Home Compare - Survey Deficiency

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
--------------	----	-------	----------------	------------	------------

mountainside

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Health

Pharmacy Service Deficiencies

Health

Nutrition and Dietary Deficiencies

Fire Safety

Vertical Openings Deficiencies

Fire Safety

Hazardous Area Deficiencies

Fire Safety

Exit and Exit Access Deficiencies

Fire Safety

Electrical Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

needs, with timetables and actions that can be measured.		
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Minimal harm or potential for actual harm
1) Make sure that residents who take drugs are not given too many doses or for too long; 2) make sure that the use of drugs is carefully watched; or 3) stop or change drugs that cause unwanted effects.	Isolated	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Isolated	Minimal harm or potential for actual harm
construction that can resist fire for one hour or an approved fire extinguishing system.	Isolated	Minimal harm or potential for actual harm
at least two remote exits on each floor or fire section of the building.	Isolated	Minimal harm or potential for actual harm
weekly inspections and monthly testing of generators.	Pattern	Minimal harm or potential for actual harm

mountainside

Based on Nursing Home Compare - Survey Deficiency

315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST
315259	MANOR CARE MOUNTAINSIDE	1180 ROUTE 22 WEST

mountainside

Based on Nursing Home Compare - Survey Deficiency

MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
MOUNTAINSIDE	NJ	07092	(908) 654-0020	11/17/2009	01/05/2010
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011
MOUNTAINSIDE	NJ	07092	(908) 654-0020	01/10/2011	03/02/2011

mountainside

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Electrical Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Pharmacy Service Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

properly installed electrical wiring and equipment.	Isolated	Minimal harm or potential for actual harm
an elevator that firefighters can control in the event of a fire.	Isolated	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Pattern	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Pattern	Minimal harm or potential for actual harm
Make sure that residents receive treatment/services to continue to be able to care for themselves, unless a change is unavoidable.	Pattern	Minimal harm or potential for actual harm
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Pattern	Minimal harm or potential for actual harm
Store, cook, and give out food in a safe and clean way.	Isolated	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Isolated	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm

mountainside

Based on Nursing Home Compare - Survey Deficiency

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
--------	---------------------------	-------------

mountainside

Based on Nursing Home Compare - Survey Deficiency

MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/25/2009

mountainside

Based on Nursing Home Compare - Survey Deficiency

Health	Resident Rights Deficiencies
--------	------------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Quality Care Deficiencies
--------	---------------------------

Health	Nutrition and Dietary Deficiencies
--------	------------------------------------

Health	Environmental Deficiencies
--------	----------------------------

Fire Safety	Emergency Plans and Fire Drills Deficiencies
-------------	--

mountainside

Based on Nursing Home Compare - Survey Deficiency

for fire alarm systems.

Allow residents to easily see the results of the nursing home's most recent survey.	Pattern	Potential for minimal harm
Give professional services that meet a professional standard of quality.	Pattern	Minimal harm or potential for actual harm
Give each resident care and services to get or keep the highest quality of life possible.	Isolated	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Make sure that each resident who enters the nursing home without a catheter is not given a catheter, unless it is necessary.	Isolated	Minimal harm or potential for actual harm
Provide food in a way that meets a resident's needs.	Isolated	Minimal harm or potential for actual harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Widespread	Minimal harm or potential for actual harm
record of quarterly fire drills for each shift under varying conditions.	Widespread	Minimal harm or potential for actual harm

mountainside

Based on Nursing Home Compare - Survey Deficiency

315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
315389	MOUNTAINSIDE HOSPITAL TCU	ONE BAY AVE
335339	MOUNTAINSIDE RESIDENTIAL CARE	42158 STATE

mountainside

Based on Nursing Home Compare - Survey Deficiency

MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	05/15/2009
MONTCLAIR	NJ	07042	(973) 429-6949	05/14/2009	07/25/2009
MONTCLAIR	NJ	07042	(973) 429-6949	01/14/2010	04/02/2010
MONTCLAIR	NJ	07042	(973) 429-6949	01/14/2010	04/02/2010
MONTCLAIR	NJ	07042	(973) 429-6949	01/14/2010	04/16/2010
MONTCLAIR	NJ	07042	(973) 429-6949	01/14/2010	04/02/2010
MONTCLAIR	NJ	07042	(973) 429-6949	01/26/2011	03/01/2011
MONTCLAIR	NJ	07042	(973) 429-6949	01/26/2011	03/01/2011
MONTCLAIR	NJ	07042	(973) 429-6949	01/26/2011	03/01/2011
MARGARETVILLE	NY	12455	(845) 586-1800	10/01/2009	11/16/2009

mountainside

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Health

Quality Care Deficiencies

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Health

Resident Rights Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

conditions.		
an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Properly mark drugs and other similar products.	Isolated	Minimal harm or potential for actual harm
Put firmly secured handrails on each side of hallways.	Pattern	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Isolated	Minimal harm or potential for actual harm
Allow residents to easily see the results of the nursing home's most recent survey.	Pattern	Potential for minimal harm
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Have a program to keep infection from spreading.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home	Isolated	Minimal harm or potential for actual

mountainside

Based on Nursing Home Compare - Survey Deficiency

HIGHWAY 28

335339

MOUNTAINSIDE RESIDENTIAL CARE

42158 STATE
HIGHWAY 28

335339

MOUNTAINSIDE RESIDENTIAL CARE

42158 STATE
HIGHWAY 28

mountainside

Based on Nursing Home Compare - Survey Deficiency

MARGARETVILLE	NY	12455	(845) 586-1800	07/29/2010	08/20/2010
MARGARETVILLE	NY	12455	(845) 586-1800	07/29/2010	08/20/2010

mountainside

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Fire Safety

Emergency Plans and Fire Drills Deficiencies

mountainside

Based on Nursing Home Compare - Survey Deficiency

area is free of dangers that cause accidents.		harm
Get rid of garbage properly.	Pattern	Potential for minimal harm
record of quarterly fire drills for each shift under varying conditions.	Pattern	Minimal harm or potential for actual harm